Patent

Customer No.: 31561 Docket No.10026-US-PA Application No.: 10/604,393

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

: Yen et al.

CENTRAL FAX CENTER

Applicant Application No.

: 10/604,393

Filed

: 2003/7/17

: MULTILAYER STRUCTURE FOR ABSORBING

ACK 1 1 2004

For

ELECTROMAGNATIC WAVE AND MANUFACTURING

METHOD THEREOF

Art Unit

: 1775

Examiner

: Lam, Cathy Fong Fong

TRANSMITTAL LETTER

002-1-703-872-9306 (Via fax: 17 pages)

Assistant Commissioner for Patents Arlington, Virginia 22202

Dear Sir.

In response to the Office Action dated August 11, 2004, transmitted herewith is the Amendment and Response to Office Action, in 16 pages, in response to paper No.20040805.

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 10026 -US-PA)

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

> Respectfully Submitted, JIANQ CHYUN Intellectual Property Office

> > i - - : - : ٠.,,

Date: Oct 12, 2004

elinda Lee

egistration No.: 46,863

Please send future correspondence to:

7F. -1, No. 100, Roosevelt Rd.,

Sec. 2, Taipei 100, Taiwan, R.O.C.

Tel: 886-2-2369 2800

Fax: 886-2-2369 7233 / 886-2-2369 7234

E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw

RECEIVED
CENTRAL FAX CENTER

Customer No. :31561 Application No: 10/604,393 Docket NO.:10026-US-PA OCT 1 1 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:)
Li-Hsien Yen	Examiner: LAM, CATHY FONG FONG
Serial No.: 10/604,393) Art Unit: 1775
Filed: Jul. 17, 2003) Docket No.: 10026-US-PA
·	
	the state of the s

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No.50-2620 (order No. 10026-US-PA).

AMENDMENT AND RESPONSE TO OFFICE ACTION

U.S. Patent and Trademark Office
Commissioner for Patents
220 20th Street South
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, Virginia 22202

Dear Sir:

The Office Action mailed Aug. 11, 2004 has been carefully considered. In response thereto, please enter the following amendments and consider the following remarks.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the iten	ns checked:
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	•
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
GRY SCALE DOCUMENTS	
LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QU	ALITY
O OTHER:	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.